



Furnishing Knowledge

PERRY®

KI (UK) Ltd
18th May 2009

PERRY® HIGH DENSITY ARTICULATING STACK CHAIR PROGRAMME FOR:

→ Large Hall Seating, Canteens, Multi-purpose Rooms and Social Facilities

FEATURES:

- **Passive Ergonomics** - this chair has an innate sense of elegance with durability built in.
- **Stackable** - polypropylene chairs with and without arms can be stacked up to 24 high and pass through a doorway. Fully upholstered chairs and chairs with arms can be stacked up to 18 high.
- **Articulated Backrest** - allows for movement and support in any position. Sitting comfortably for long periods is therefore ensured.
- **Optional Writing Tablet** - choose either a right or left removable tablet arm, to adjust the chair to a self sufficient workstation.
- **Optional Bookrack** - ideal for exercise or text books, making the chair extremely versatile.

GENERAL DIMENSIONS:

Seat:

Seat Width	→	495 mm
Seat Depth	→	545 mm
Seat Height	→	455 mm

SPECIFICATIONS:

Seat & Backrest

- Injection-moulded polypropylene seat and back
- Seat is one-piece screwed to frame; backrest has two sections screwed together

Chair Frame

- 11mm solid steel rod in bright nickel-chrome with electrostatically-applied epoxy
- Armchair version has a 16 mm steel tubing and a 11 mm solid steel rod welded into a one-piece unit
- Bright chrome finished surfaces are duplex nickel-chrome plated in a twenty-one step process
- Special colours on request

Back Articulation

- Back articulation is achieved with a single-piece frame which flexes as the back pivots around its upper and lower crossbars
- The seat is hung from the lower back so that the user's weight perfectly counterbalances the tilting pressure of the upper back

Glides

- Lexan glides (clear)
- Stainless steel glides
- Felt glides
- All glides with or without ganging

Dolly

- Tubular and plate steel welded together
- Castors 130 mm; two fixed and two swivel-powder coated black finish

Weight

- Poly or upholstered without arms 8.5Kg
- Poly or upholstered with arms 9.5Kg



Furnishing Knowledge

PERRY®

KI (UK) Ltd
18th May 2009

HOW TO ORDER

Indicate the following information on the order form:

- 1) Quantity of each item.
- 2) Model number including any special service required.
- 3) See "How to build a model number".

HOW TO BUILD A MODEL NUMBER

EXAMPLE

1) Select Basic Model

- PRYP** → Polypropylene seat & back, no arms
- PRYU** → Polypropylene back, upholstered seat, no arms
- PRYC** → Upholstered seat & back, no arms
- PRYPA** → Polypropylene seat & back with arms
- PRYUA** → Polypropylene back, upholstered seat with arms
- PRYCA** → Upholstered seat & back with arms

(1) Basic Model	(2) Frame Colour	(3) Seat & Back Colour	(4) Fabric Band	(5) Glide Option	(6) Select Option	(6) Optional Accessories
PRYPA	CH	BL	FB1	GL		PRYTR/LWN*

2) Select Frame Colour:

Refer to Finish Options overleaf.

Code to be quoted:
PRYPA/CH/BL/FB1/GL (chair)
PRYTR/LWN (tablet arm)
 *leave blank if not required

3) Select Seat and Back Finish Option:

Refer to Finish Options overleaf.

4) Select Upholstery Grade/Colour

- FB1** → Fabric Band 1
- FB2** → Fabric Band 2
- FB3** → Fabric Band 3
- FB4** → Fabric Band 4
- FB5** → Fabric Band 5
- FB6** → Fabric Band 6

5) Glide Option:

- NG** → No Glides
- GL** → Lexan Glides
- GLG** → Lexan Glides with Integrated Ganging Device
- GLF** → Lexan Glides with Felt
- GNS** → PVC Non-Skid Glide
- GS** → Stainless Steel Glides
- GSG** → Stainless Steel Glides with Integrated Ganging Device
- SGD** → Sliding Ganging Device
- SGDPS** → Sliding Ganging Device with Panic Security
- ASW** → Arm Wood (pair)

NB. Not all ganging options are available on all Perry chairs. Contact KI Sales Manager for confirmation.

6) Optional Accessories (quote on separate lines)

- PRYTR** → Right Handed Writing Tablet
- PRYTL** → Left Handed Writing Tablet
- PRYB** → Bookrack
- PR/PRYD** → Perry Chair Transport Dolly for chairs without arms
- PR/PRYDA** → Perry Chair Transport Dolly for chairs with arms

Refer to Finish Options overleaf for tablet arm finishes.



Furnishing Knowledge

PERRY®

KI (UK) Ltd
18th May 2009

FINISH OPTIONS

Frame Colour

Abacadabra	AC
Antique Vein	AV
Black	BL
Blue Grey	GR
Bordeaux	BD
Bronze Metallic	ZM
Cafe Au Lait	CF
Cayenne	CY
Chamomile	CE
Champagne Metallic	CM
Chrome	CH
Cottonwood	CO
Creamy White	CW
Dolphin	DO
Espresso Metallic	EX
Flannel	FN
Grape	GX
Lemon Cream	LC
Light Tone	LG
Malachite Metallic	MM
Marine Teal	MR
Moonbeam Metallic	MO
Moss	MZ
Nickel Vein	NK
Nordic	ND
Sand	SA
Splash	SH
Starlight Silver Metallic	SX
Sunburst	SU
Tangelo	TO
Thermal	HX
Warm Grey	WG
Wet Sand	WS
Whisper	WP

Polypropylene Seat & Back

Abacadabra	AC
Black	BL
Blue Grey	GR
Bordeaux	BD
Café Au Lait	CF
Cayenne	CY
Flannel	FN
Grape	GX
Lemon Cream	LC
Light Tone	LG
Marine Teal	MR
Moss	MZ
Nordic	ND
Sand	SA
Splash	SH
Sunburst	SU
Tangelo	TO
Warm Grey	WG
Wet Sand	WS

Tablet Arm Colour

Barcoo Brush	LBB
Beige Nebula	LBA
Biltmore Cherry	LBT
Black	LBK
Brighton Walnut	LBW
Canyon Zephyr	LCA
Castle Oak	LCO
Cherry Storm	LCX
Cloud Nebula	LCN
Cloud Zephyr	LCL
Crisp Zephyr	LCZ
Desert Zephyr	LDZ
Frosty White	LFW
Graphite Nebula	LGN
Grey	LGE
Grey Moss	LGS
Illawarra Brush	LIB
Karratha Brush	LKA
Kensington Maple	LKM
Loden Zephyr	LLZ
Maroochy Brush	LMB
Misted Zephyr	LMR
Monticello Maple	LMT
Morro Zephyr	LMY
Nickel evolv	LNV
North Sea	LNA
Oxygen evolv	LOV
Pearl Bisque	LPB
Pearl Dust	LPD
Pearl Mist	LPE
Pearl Silver	LPS
Radium evolv	LRE
Satin Oxide	LSX
Satin Stainless	LSS
Shadow Zephyr	LSR
Silicon evolv	LSV
Spice Zephyr	LSZ
Titanium evolv	LTV
Tungsten evolv	LTE
White Nebula	LWL
White Sand	LWN
Woolamai Brush	LWB

Fabric Bands

Fabric Band 1
Gabriel Event
Camira Phoenix
Camira Advantage/Ace
Camira Castell Plus
Camira Chateau Plus
Camira Xtreme Plus

Fabric Band 2
Camira Main Line Plus
Camira X-Factor Plus
Gabriel Delfi
Gabriel Gaja 2
Camira 24/7 Plus
Camira New Aquarius
Camira Virtual (Vinyl)

Fabric Band 3
Camira Air Space
Kvadrat Tonica
Kvadrat Mega
Kvadrat Melange
Kvadrat Topas 2

Fabric Band 4
Kvadrat Tonus 3




Fabric Band 5
Gabriel Comfort 8630
Kvadrat Loop
Kvadrat Glove

Fabric Band 6
Leather Ohman
Camira Vintage Leather

For colour of fabric band
see swatch cards

PERRY®

KI (UK) Ltd
18th May 2009




Overall Dimensions Width: 495 mm Depth: 545 mm Seat Height: 455 mm	Basic Model	Description	Fabric Band
	<p>PRYP</p> 	<p>Polypropylene seat & back with arms.</p>	
	<p>PRYU</p> 	<p>Upholstered seat, polypropylene back, without arms COM = 0.35 metres</p>	<p>COM 1 2 3 4 5 6</p>
	<p>PRYC</p> 	<p>Upholstered seat & back without arms. COM = 0.55 metres</p>	<p>COM 1 2 3 4 5 6</p>
	<p>PRYTR PRYTR PRYB</p>	<p>Right-Handed Writing Tablet Left-Handed Writing Tablet Bookrack The writing tablets are available on the armless Perry® models. The bookrack and dolly are available on all Perry® models.</p>	
	<p>PR/PRYD PR/PRYDA</p>	<p>Transport Dolly for chairs without arms Transport Dolly for chairs with arms</p>	
	<p>NG GL GLG GLF GNS GS GSG SGD SGDPS</p>	<p>No Glides Lexan Glides Lexan Glides with Integrated Ganging Device Lexan Glides with Felt PVC Non-Skid Glide Stainless Steel Glides Stainless Steel Glides with Integrated Ganging Device Sliding Ganging Device Sliding Ganging Device with Panic Security</p>	
<p>NB. Not all ganging options are available on all Perry chairs. Contact KI Sales Manager for confirmation.</p>			



Furnishing Knowledge

PERRY®

KI (UK) Ltd
18th May 2009

Overall Dimensions Width: 595 mm Depth: 545 mm Seat Height: 455 mm Arms Height: 695 mm	Basic Model	Description	Fabric Band
	<p>PRYPA</p> 	<p>Polypropylene seat & back with arms.</p> <p><i>Fitted with Lexan Glides as standard</i></p>	
	<p>PRYUA</p> 	<p>Upholstered seat, polypropylene back with arms COM = 0.35 metres.</p> <p><i>Fitted with Lexan Glides as standard</i></p>	<p>COM 1 2 3 4 5 6</p>
	<p>PRYCA</p> 	<p>Upholstered seat & back without arms. COM = 0.55 metres.</p> <p><i>Fitted with Lexan Glides as standard</i></p>	<p>COM 1 2 3 4 5 6</p>
	<p>GLG GLF GNS GS GSG SGD SGDPS</p>	<p>Lexan Glides with Integrated Ganging Device Lexan Glides with Felt PVC Non-Skid Glide Stainless Steel Glides Stainless Steel Glides with Integrated Ganging Device Sliding Ganging Device Sliding Ganging Device with Panic Security</p>	
<p>NB. Not all ganging options are available on all Perry chairs. Contact KI Sales Manager for confirmation.</p>			



Furnishing Knowledge

KI (UK) Ltd Warranties 2007

29-Jan-07

The following KI product warranty applies to products manufactured after May 31, 1997.

This warranty is given to the initial purchaser and is valid for as long as the initial purchaser owns the product. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to KI within the applicable warranty period, KI at its option will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. The Lifetime Warranty applies regardless of the number of shifts the product is used each day unless specified as an exception. All other product warranties are a single 8-hour shift per day unless otherwise noted.

Product Line	Warranty
Classroom Furniture	
360° Desk, Intellect and Ivy League (except lift lid supports)	15 Years
Ivy League lift lid supports only	5 Years
Desking	
Genesis Base Structure	Lifetime
Files & Storage	
700 Series	25 Years
KI 900 Series	25 Years
SmartPed	25 Years
PivotFile: Rotation Surfaces	Lifetime
Assembled Base	10 Years
Mechanical and structural parts	5 Years
Spacesaver Mobile Systems: Carriages	Lifetime
Other parts including moving parts, controls and guides	5 Years
KI Smart Solutions	1 Year
Screens (excludes fabric)	
All Terrain, Genesis	5 Years
Seating	
Folding chairs & stools and chair castors	5 Years
Impulse, Perry, Matrix, Maestro, Daylight, M16 (except wooden parts)	10 Years
K4, K5	5 Years
Torsion, Torsion on the Go	3 Years
Wooden parts	3 Years
Tables	
Powered Tables - DataHub, PowerComm, InTandem	Lifetime
Contract Tables	10 Years
Folding tables & accessories, Table Caddies, table and storage castors	5 Years
Tops with Resin Edge, ValueLite, DuraLite	10 Years
Uniframe table tops with perfect edge only (excludes frame)	Lifetime
Uniframe Tables - frames, tops with bullnose edge, cylinders and convertible benches	10 Years
Miscellaneous	
Gadgetz desktop accessories	15 Years
Balance Overheads	10 Years
Wharton Lectern	10 Years
High wear parts such as wood veneers, glass top surfaces, fabrics and other covering materials/finishes, foam, glides, springs, bushings and user height adjustable work surface mechanisms	1 Year
Third Party Supplied Product	Supplier Warranty
Non-standard product that alters function	1 Year

This warranty does not apply to damage caused by carrier, alterations to product not expressly authorized by KI, nor to products considered to be of a consumable nature such as bulbs, light ballasts, and surge suppression products. It also does not apply to "Customer's Own Material" (i.e., material supplied by the customer that is not a standard KI product offering) used in the manufacture of KI products. KI does not warranty the matching of colour, grain or texture except to within commercially acceptable standards. A product will not be considered defective, and KI will not be obligated to replace it, if the product is subject to any of KI's written planning, installation or user guides, and is not installed or used as recommended therein.

EXCEPT AS STATED ABOVE, KI MAKES NO EXPRESS OR IMPLIED WARRANTIES AS TO ANY PRODUCT AND IN PARTICULAR MAKES NO WARRANTY OF FITNESS FOR ANY PARTICULAR USE. AT KI'S OPTION, PRODUCT REPAIR, REPLACEMENT, OR REFUND OF PURCHASE PRICE IS THE CUSTOMER'S EXCLUSIVE REMEDY FOR ANY AND ALL PRODUCT DEFECTS.

KI will not be liable for consequential, economic, or incidental damages arising from any product defect.