



Furnishing Knowledge

## **STRIVE® Seating Family**

KI (UK) Ltd  
16th September 2009

### **Contents**

Strive High Density Wire Rod Stacking Chairs	Page 1-3
Strive Four-leg Chairs, Four-leg Tablet Arm Chairs & Four-leg Stools	Page 4-11
Strive Task Chairs and Task Stools	Page 12-15
Finish Options	Page 16
Fabric Bands	Page 17

## STRIVE® - High Density Stacking Wire Rod Chairs

KI (UK) Ltd  
16th September 2009

### STRIVE® High Density Stacking Wire Rod Chairs for:

- Large Hall Seating, Classrooms, Canteens, Multi-purpose Rooms and Social Facilities
- Visitor Seating

### FEATURES:

- **Articulated Backrest** - combination of slotted polypropylene back and spring steel provides a supportive, flexible back.
- **Stackable** - high density chairs can be stacked up to 6 high on the floor and 25 high on a dolly.

### GENERAL DIMENSIONS:

#### Seat:

- Seat Width → 450mm
- Seat Depth → 470mm
- Seat Height → 445mm

### SPECIFICATIONS:

#### Seat & Backrest

- Injection-moulded polypropylene seat and shroud.
- Injection-moulded polypropylene back with integral 4.5mm steel springs.

#### Back Articulation

- A combination of slotted polypropylene back and spring steel provides a supportive, flexible back.

#### Chair Frame

- 11mm solid steel rod in bright nickel chrome.

#### Glides

- Polycarbonate
- Ganging polycarbonate
- PVC non-skid
- Stainless Steel
- Ganging stainless steel

#### Tablet Arm

- Left and right handed
- Writing area 305mm x 520mm
- Removable

#### Dolly

- Tubular and plate steel welded together
- Castors 130 mm; two fixed and two swivel-powder coated black finish

### WARRANTY:

- 10 years

## STRIVE® - High Density Stacking Wire Rod Chairs

KI (UK) Ltd  
16th September 2009

### HOW TO ORDER

Indicate the following information on the order form:

- 1) Quantity of each item.
- 2) Model number including any special service required.
- 3) See "How to build a model number".

### HOW TO BUILD A MODEL NUMBER

### Example

#### 1) Select Basic Model:

S1 → Polypropylene seat & back

(1)  
Basic  
Model

(2)  
Frame  
Colour

(3)  
Seat  
& Back

(4)  
Glide  
Option

#### 2) Select Frame Colour:

Refer to Finish Options on page 16.

S1

CH

PBL

NG

#### 3) Select Seat and Back Finish Option:

Refer to Finish Options on page 16.

Code to be quoted:

S1/CH/PBL/NG

#### 4) Select Glide Option

- NG → No glide
- H → Polycarbonate glides
- G → Ganging polycarbonate glides
- NS → PVC non-skid glides
- S → Stainless steel glides
- GS → Ganging steel glides

### OPTIONAL TABLET ARM ACCESSORY

#### 1) Select Basic Model

SWTAL →  
SWTAR →

Left hand tablet arm  
Right hand tablet arm

#### 2) Select Tablet Arm colour

Refer to Finish Options on page 16.

### Example

(1)  
Tablet  
Arm

(2)  
Tablet Arm  
Colour

SWTAR




LWN

Code to be quoted:

SWTAR/LWN

## STRIVE® - High Density Stacking Wire Rod Chairs

KI (UK) Ltd  
16th September 2009

<b>Overall Dimensions</b> Width: 450 mm Depth: 470 mm Seat Height: 445mm	<b>Basic Model</b>	<b>Description</b>
	<b>S1</b> 	Polypropylene seat & back, no arms
	<b>Tablet Arm</b> 	<b>SWTAL</b> - Left hand <b>SWTAR</b> - Right hand
	<b>CSD.BL</b> 	Transport dolly
	<b>Add £22 for Chrome base</b>	

## STRIVE® - Four-Leg Chair, Four-leg Tablet Arm Chair & Four-leg Stools

KI (UK) Ltd  
16th September 20

### STRIVE® Four-Leg Chair, Four-leg Tablet Arm Chair & Four-leg Stool Programme for:

- Large Hall Seating, Classrooms, Canteens, Multi-purpose Rooms and Social Facilities
- Visitor Chairs

### FEATURES:

- **Articulated Backrest** - combination of slotted polypropylene back and spring steel provides a supportive, flexible back.
- **Stackable** - 4-leg chairs without castors and tablet arm can be stacked up to 4 high on the floor and 6 high on a dolly.

### GENERAL DIMENSIONS:

#### Seat:

- Seat Width → 457mm
- Seat Depth → 457mm
- Seat Height → 445mm standard seat, 600mm & 750 stool (add 15mm for upholstered seats)
- Arm Height → 667mm standard seat, 825mm & 980mm stool

### SPECIFICATIONS:

#### Seat & Backrest

- Injection-moulded polypropylene seat and shroud
- Injection-moulded polypropylene back with integral 4.5mm steel springs.

#### Back Articulation

- A combination of slotted polypropylene back and spring steel provides a supportive, flexible back.

#### Chair Frame

- 22mm, 13-gauge tubular steel legs. 25mm, 14-gauge tubular steel and 11mm solid steel rod cross members.
- Bright chrome finished surfaces are duplex nickel-chrome plated in a twenty-one step process
- Special colours on request

#### Arms

- Cantilever arms are a continuation of the supporting structure.
- Black, injection moulded nylon black arm caps

#### Glides

- Black, injection moulded polypropylene end caps as standard
- Chrome plated steel glides

#### Tablet Arm

- Left or right handed
- Supported by frame
- Writing area 240mm x 528mm
- 16mm plywood with laminate top
- Edges laquered and sealed





## STRIVE® - Four-Leg Chairs (with & without castors)

KI (UK) Ltd  
16th September 2009

HOW TO ORDER							
Indicate the following information on the order form:							
1) Quantity of each item. 2) Model number including any special service required. 3) See "How to build a model number".							
HOW TO BUILD A MODEL NUMBER			Example				
<b>1) Select Basic Model:</b>  <b>S2</b> → Polypropylene seat & back, no arms, no castors <b>S3</b> → Polypropylene back, upholstered seat, no arms, no castors <b>S4</b> → Polypropylene seat & back, with arms, no castors <b>S5</b> → Polypropylene back, upholstered seat, with arms, no castors <b>S6</b> → Polypropylene seat & back, no arms, castors <b>S7</b> → Polypropylene back, upholstered seat, no arms, castors <b>S8</b> → Polypropylene seat & back, with arms, castors <b>S9</b> → Polypropylene back, upholstered seat, with arms, castors			(1) Basic Model	(2) Frame Colour	(3) Seat & Back	(4) Castor or Glide Option	(5) Fabric Band
			S2	CH	PBL	S	FB1
<b>2) Select Frame Colour:</b>  Refer to Finish Options on page 16.			Code to be quoted:  <b>S2/CH/PBL/S/FB1</b>				
<b>3) Select Seat and Back Finish Option:</b>  Refer to Finish Options on page 16.							
<b>4) Select Castor or Glide option</b>  <b>For chairs with castors only</b> <b>C</b> → Carpet castors <b>S</b> → Hard floor castors		<b>For chairs with glides only</b> <b>P</b> → Plastic glides <b>S</b> → Steel glides					
<b>5) Select Fabric Band (see page 17)</b>  <b>FB1</b> → Fabric Band 1 <b>FB4</b> → Fabric Band 4 <b>FB2</b> → Fabric Band 2 <b>FB5</b> → Fabric Band 5 <b>FB3</b> → Fabric Band 3 <b>FB6</b> → Fabric Band 6							



## STRIVE® - Four-Leg Chairs without Castors

KI (UK) Ltd  
16th September 2009

Overall Dimensions Width: 457 mm Depth: 457 mm Seat Height: 455 mm (add 15mm for upholstered) Arm Height: 667mm	Basic Model	Description	Fabric Band
	<p style="text-align: center;"><b>S2</b></p> 	Seat and back polypropylene, without arms. Stackable	
	<p style="text-align: center;"><b>S3</b></p> 	Polypropylene back, upholstered seat, without arms Stackable	COM 1 2 3 4 5 6
	<p style="text-align: center;"><b>S4</b></p> 	Seat and back polypropylene, with arms. Stackable	
	<p style="text-align: center;"><b>S5</b></p> 	Polypropylene back, upholstered seat, with arms Stackable	COM 1 2 3 4 5 6
<b>Add £22 for Chrome base</b>			

## STRIVE® - Four-Leg Chairs with Castors

KI (UK) Ltd  
16th September 2009

Overall Dimensions Width: 457 mm Depth: 457 mm Seat Height: 455 mm (add 15mm for upholstered) Arm Height: 667mm	Basic Model	Description	Fabric Band
	<p style="text-align: center;"><b>S6</b></p> 	<p>Seat and back polypropylene, castors, no arms</p>	
	<p style="text-align: center;"><b>S7</b></p>	<p>Polypropylene back, upholstered seat, castors, no arms</p>	<p>COM 1 2 3 4 5 6</p>
	<p style="text-align: center;"><b>S8</b></p>	<p>Seat and back polypropylene, castors, with arms</p>	
	<p style="text-align: center;"><b>S9</b></p> 	<p>Polypropylene back, upholstered seat, castors, with arms</p>	<p>COM 1 2 3 4 5 6</p>
<b>Add £22 for Chrome base</b>			



## STRIVE® - Four-leg Tablet Arm Chairs

KI (UK) Ltd  
16th September 2009

HOW TO ORDER						
Indicate the following information on the order form:						
1) Quantity of each item. 2) Model number including any special service required. 3) See "How to build a model number".						
HOW TO BUILD A MODEL NUMBER	Example					
<b>1) Select Basic Model:</b>  <b>S10</b> → Polypropylene seat & back, left hand <b>S11</b> → Polypropylene seat & back, right hand <b>S12</b> → Upholstered seat, poly back, left hand <b>S13</b> → Upholstered seat, poly back, right hand	(1) <b>Basic Model</b>	(2) <b>Frame Colour</b>	(3) <b>Seat &amp; Back</b>	(4) <b>Glide Option</b>	(5) <b>Tablet Arm Colour</b>	(6) <b>Fabric Band</b>
<b>2) Select Frame Colour:</b>  Refer to Finish Options on page 16.	<b>S12</b>	<b>SX</b>	<b>PBL</b>	<b>S</b>	<b>LWN</b>	<b>FB1</b>
<b>3) Select Seat and Back Finish Option:</b>  Refer to Finish Options on page 16.	Code to be quoted:  <b>S12/SX/PBL/S/LWN/FB1</b>					
<b>4) Select Glide option</b>  <b>P</b> → Plastic glides <b>S</b> → Steel glides						
<b>5) Select tablet arm colour</b>  Refer to Finish Options on page 16.						
<b>6) Select Fabric Band (see page 17)</b>  <b>FB1</b> → Fabric Band 1 <b>FB4</b> → Fabric Band 4 <b>FB2</b> → Fabric Band 2 <b>FB5</b> → Fabric Band 5 <b>FB3</b> → Fabric Band 3 <b>FB6</b> → Fabric Band 6						

## STRIVE® - Four-leg Tablet Arm Chairs

KI (UK) Ltd  
16th September 2009

Overall Dimensions Width: 457 mm Depth: 457 mm Seat Height: 455 mm (add 15mm for upholstered) Arm Height: 667mm	Basic Model	Description	Fabric Band
	<p style="text-align: center;"><b>S10</b></p> 	<p>Seat and back polypropylene, left hand tablet arm</p>	
	<p style="text-align: center;"><b>S11</b></p> 	<p>Seat and back polypropylene, right hand tablet arm</p>	
	<p style="text-align: center;"><b>S12</b></p>	<p>Polypropylene back, upholstered seat, left hand tablet arm</p>	<p>COM 1 2 3 4 5 6</p>
	<p style="text-align: center;"><b>S13</b></p>	<p>Polypropylene back, upholstered seat, right hand tablet arm</p>	<p>COM 1 2 3 4 5 6</p>
<b>Add £22 for Chrome base</b>			

## STRIVE® - Four-Leg Stools

KI (UK) Ltd  
16th September 2009

### HOW TO ORDER

Indicate the following information on the order form:

- 1) Quantity of each item.
- 2) Model number including any special service required.
- 3) See "How to build a model number".

### HOW TO BUILD A MODEL NUMBER

### Example

#### 1) Select Basic Model:

- S14 → Polypropylene seat & back, no arms
- S15 → Polypropylene back, upholstered seat, no arms
- S16 → Polypropylene seat & back, with arms
- S17 → Polypropylene back, upholstered seat, with arms

(1)  
Basic  
Model

(2)  
Seat  
Height

(3)  
Frame  
Colour

(4)  
Seat &  
Back

(5)  
Glide  
Option

(6)  
Fabric  
Band

S16

23

BL

PBL

S

FB1

#### 2) Select Seat Height

- 23 → 600mm
- 29 → 750mm

Code to be quoted:

#### 3) Select Frame Colour:

Refer to Finish Options on page 16.

S16/23/BL/PBL/S/FB1

#### 4) Select Seat and Back Finish Option:

Refer to Finish Options on page 16.

#### 5) Select glide option

- P → Plastic glides
- S → Steel glides

#### 6) Select Fabric Band (see page 17)

- FB1 → Fabric Band 1
- FB2 → Fabric Band 2
- FB3 → Fabric Band 3
- FB4 → Fabric Band 4
- FB5 → Fabric Band 5
- FB6 → Fabric Band 6




Furnishing Knowledge

## STRIVE® - Four-Leg Stools

KI (UK) Ltd

16th September 2009

<b>Overall Dimensions</b> Width: 457 mm Depth: 457 mm Seat Height: 600mm/750mm Arm Height: 825mm/980mm	<b>Basic Model</b>	<b>Description</b>	<b>Fabric Band</b>
	<b>S14</b>	Polypropylene seat & back, no arms	
	<b>S15</b>	Polypropylene back, upholstered seat, no arms	COM 1 2 3 4 5 6
	<b>S16</b>	Polypropylene seat & back, with arms	
	<b>S17</b> 	Polypropylene back, upholstered seat, with arms	COM 1 2 3 4 5 6
<b>Not available with Chrome base</b>			

## STRIVE® - Task Chairs & Stools

KI (UK) Ltd  
16th September 20

### STRIVE® Four-Leg Chair Programme for:

→ Offices, Classrooms, Multi-purpose Rooms

### FEATURES:

- **Articulated Backrest** - combination of slotted polypropylene back and spring steel provides a supportive, flexible back.
- **Height Adjustable** - gas lift mechanism
- **Footrest** - on high stools for ergonomic comfort

### GENERAL DIMENSIONS:

#### Seat:

- Seat Width → 450mm
- Seat Depth → 470mm
- Seat Height → 438mm to 565mm & 508mm to 698mm (add 25mm for upholstered seat)
- Arm Height → 660mm to 787mm & 730mm to 920mm

### SPECIFICATIONS:

#### Seat & Backrest

- Injection-moulded polypropylene seat and shroud
- Injection-moulded polypropylene back with integral 4.5mm steel springs.

#### Back Articulation

- A combination of slotted polypropylene back and spring steel provides a supportive, flexible back.

#### Chair Base

- Injection moulded nylon 5 star base with high impact thermoplastic double castors.
- Hard floor or carpet castors




## STRIVE® - Task Chairs & Stools

KI (UK) Ltd  
16th September 2009

HOW TO ORDER					
Indicate the following information on the order form:					
1) Quantity of each item. 2) Model number including any special service required. 3) See "How to build a model number".					
HOW TO BUILD A MODEL NUMBER				Example	
<b>1) Select Basic Model:</b>  <b>S18</b> → Task chair, polypropylene seat & back, no arms <b>S19</b> → Task chair, upholstered seat, polypropylene back, no arms <b>S20</b> → Task chair, polypropylene seat & back, with arms <b>S21</b> → Task chair, upholstered seat, polypropylene back, with arms <b>S22</b> → Task stool, polypropylene seat & back, no arms <b>S23</b> → Task stool, upholstered seat, polypropylene back, no arms <b>S24</b> → Task stool, polypropylene seat & back, with arms <b>S25</b> → Task stool, upholstered seat, polypropylene back, with arms	(1) <b>Basic Model</b>	(2) <b>Frame Colour</b>	(3) <b>Seat &amp; Back</b>	(4) <b>Castor Option</b>	(5) <b>Fabric Band</b>
	<b>S25</b>	<b>BL</b>	<b>PBL</b>	<b>C</b>	<b>FB1</b>
<b>2) Select Frame Colour:</b>  Refer to Finish Options on page 16.				Code to be quoted:  <b>S25/BL/PBL/C/FB1</b>	
<b>3) Select Seat and Back Finish Option:</b>  Refer to Finish Options on page 16.					
<b>4) Select castor option</b>  <b>C</b> → Carpet castors <b>S</b> → Hard floor castors					
<b>5) Select Fabric Band (see page 17)</b>  <b>FB1</b> → Fabric Band 1 <b>FB4</b> → Fabric Band 4 <b>FB2</b> → Fabric Band 2 <b>FB5</b> → Fabric Band 5 <b>FB3</b> → Fabric Band 3 <b>FB6</b> → Fabric Band 6					


## STRIVE® - Task Chairs

KI (UK) Ltd  
16th September 2009

Overall Dimensions Width: 457 mm Depth: 457 mm Seat Height: 438-565mm Arm Height: 600-787mm	Basic Model	Description	Fabric Band
	<p style="text-align: center;"><b>S18</b></p> 	Polypropylene seat & back, no arms	
	<p style="text-align: center;"><b>S19</b></p> 	Polypropylene back, upholstered seat, no arms	COM 1 2 3 4 5 6
	<p style="text-align: center;"><b>S20</b></p>	Polypropylene seat & back, with arms	
	<p style="text-align: center;"><b>S21</b></p> 	Polypropylene back, upholstered seat, with arms	COM 1 2 3 4 5 6

## STRIVE® - Task Stools

KI (UK) Ltd  
16th September 2009

Overall Dimensions Width: 457 mm Depth: 457 mm Seat Height: 508-698mm Arm Height: 730-920mm	Basic Model	Description	Fabric Band
	S22	Polypropylene seat & back, no arms	
	 <p>S23</p>	Polypropylene back, upholstered seat, no arms	COM 1 2 3 4 5 6
	S24	Polypropylene seat & back, with arms	
	S25	Polypropylene back, upholstered seat, with arms	COM 1 2 3 4 5 6

## Strive Seating Family Finishes

KI (UK) Ltd  
16th September 2009

### FINISH OPTIONS (Excluding Task Chairs & Stools)

Frame Colour		Polypropylene Seat & Back		Tablet Arm Colour	
Abracadabra	AC	Black	PBL	Barcoo Brush	LBB
Antique Vein	AV	Blue Grey	PGR	Beige Nebula	LBA
Black	BL	Café Au Lait	PCF	Biltmore Cherry	LBT
Blue Grey	GR	Cayenne	PCY	Brighton Walnut	LBW
Bordeaux	BD	Flannel	PFN	Canyon Zephyr	LCA
Bronze Metallic	ZM	Lemon Cream	PLC	Castle Oak	LCO
Café Au Lait	CF	Light Tone	PLG	Cherry Storm	LCX
Cayenne	CY	Moss	PMZ	Cloud Nebula	LCN
Chamomile	CE	Nordic	PND	Cloud Zephyr	LCL
Champagne Metallic	CM	Sand	PSA	Crisp Zephyr	LCZ
Chrome*	CH	Warm Grey	PWG	Desert Zephyr	LDZ
Cottonwood	CO	Wet Sand	PWS	Frosty White	LFW
Creamy White	CW			Graphite Nebula	LGN
Dolphin	DO	Other colours are available with an upcharge		Grey	LGE
Espresso Metallic	EX	Please contact your KI Sales Manager		Grey Moss	LGS
Flannel	FN			Illawarra Brush	LIB
Grape	GX			Karratha Brush	LKA
Lemon Cream	LC			Kensington Maple	LKM
Light Tone	LG			Loden Zephyr	LLZ
Malachite Metallic	MM			Maroochy Brush	LMB
Marine Teal	MR			Misted Zephyr	LMR
Moonbeam Metallic	MO			Monticello Maple	LMT
Moss	MZ			Morro Zephyr	LMY
Nickel Vein	NK			Nickel evolv	LNV
Nordic	ND			North Sea	LNA
Sand	SA			Oxygen evolv	LOV
Splash	SH			Pearl Bisque	LPB
Starlight Silver Metallic	SX			Pearl Dust	LPD
Sunburst	SU			Pearl Mist	LPE
Tangelo	TO			Pearl Silver	LPS
Thermal	HX			Radium evolv	LRE
Warm Grey	WG			Satin Oxide	LSX
Wet Sand	WS			Satin Stainless	LSS
Whisper	WP			Shadow Zephyr	LSR
				Silicon evolv	LSV
				Spice Zephyr	LSZ
				Titanium evolv	LTV
				Tungsten evolv	LTE
				White Nebula	LWL
				White Sand	LWN
				Woolamai Brush	LWB

\*Not available on 4-leg stool

### FINISH OPTIONS (Task Chairs & Stools only)

Task Chairs Frame Colour		Polypropylene Seat & Back	
Black	BL	Black	PBL
Warm Grey	WG	Blue Grey	PGR
		Nordic	PND
		Sand	PSA
		Warm Grey	PWG

## Strive Seating Family Fabric Bands

KI (UK) Ltd  
16th September 2009

### FABRIC BANDS

#### Fabric Band 1

Bradbury Pyra  
Bradbury Sterling  
Bradbury Omega Plus  
Camira Plaza  
Camira Phoenix  
Camira Advantage

#### Fabric Band 2

Bradbury Excel Plus  
Bradbury Flamblend  
Camira Xtreme Plus  
Camira Castell Plus  
Camira Chateau Plus  
Camira Urban Plus  
Camira Main Line Plus  
Camira X-Factor Plus  
Camira Velvetine Plus  
Camira Intervene Soft

#### Fabric Band 3

Camira Compliments Plus  
Bradbury Dice  
Bradbury Domino  
Bradbury Honeycomb  
Bradbury Polka  
Camira 24/7 Plus  
Camira Oxygen  
Camira Hi-Tech  
Camira Virtual Plus  
Gabriel Event  
SKAI Stock Vinyl

#### Fabric Band 4

Camira Inter/vene-plain  
Camira Eton Stripe Plus  
Camira New Aquarius  
Camira Inter/vene-pattern  
Camira New Blazer  
Camira Monochrome Plus  
Camira Illusion  
Camira Airspace  
ILP Stock Leather

#### Fabric Band 5

Camira Archery Plus  
Camira Sketch Plus  
Camira Pinstripe Plus  
Camira Sketch Plus  
Camira Smarty Plus  
Camira Sting Plus

#### Fabric Band 6

Gabriel Delfi  
Gabriel Gaja 2  
Kvadrat Tonica  
Kvadrat Mega  
Kvadrat Topas 2  
Kvadrat Melange  
Kvadrat Tonus  
Camira E-Leather

For colour of fabric band see swatch cards